



Valley Filters,
Ross Road Industrial Estate,
Carrickmacross,
Co. Monaghan,
Ireland.
www.valleyfilters.com
Ph: (+353) 042-966-2365

AH8899

Description: Air Housing
Date in stock: January 2012
Main application: MAN 51.8301-0016



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	298.5	mm	or	11.75	in
OD	197	mm	or	7.75	in
ID	150.5	mm	or	5.92	in

PACKAGING *in mm*

Quantity per box	1	Weight	1.49 kg	Vol	17.79 dm³
Length	240	Width	240	Height	309

CROSS-REFERENCES

DEUTZ	4228706
DONALDSON	ECB085056
MAN	51083010016
MAN	51.08301-0015
MAN	51.08401-6012

APPLICATIONS

MAN Engines D2842 LE 405



FF5800

Description: Fuel Filter, In-Line

Date in stock: January 2012

Main application: Volkswagen 7H0127401B



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	276	mm	or	10.866	in
OD	80.65	mm	or	3.175	in

PACKAGING *in mm*

Quantity per box	12	Weight	0.59 kg	Vol	40.59 dm³
Length	320	Width	590	Height	215

CROSS-REFERENCES

DONALDSON	P550857	PURFLUX	FCS709
FRAM	P10222	TECNOCAR	RN246
HENGST	H207WK01	VOLKSWAGEN	7H0127401A
MAHLE	KL229/4	VOLKSWAGEN	7H0127401B
MANN & HUMMEL	WK857/1		

APPLICATIONS

VOLKSWAGEN Light Trucks TRANSPORTER 1.9 TDI, 2.0 TDI, 2.5 TDI, CARAVELLE 2.0 TDI



FF5801

Description: Fuel Filter, cartridge

Date in stock: January 2012

Main application: Fendt F716.201.060.070



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	98.5	mm	or	3.878	in
OD	73	mm	or	2.874	in
ID	38	mm	or	1.496	in

PACKAGING

in mm

Quantity per box	10	Weight	0.095 kg	Vol	6.56 dm³
Length	155	Width	385	Height	110

CROSS-REFERENCES

BALDWIN	PF7916	FENDT	F716.201.060.070
DEUTZ	4258970(EZ)	HENGST	E412KP02 D55
DEUTZ	2931449	LINDE	0009831660
DEUTZ	4252603(EZ)	MAHLE	KX267D ECO
DEUTZ	2931116	MANN	PU815X
DONALDSON	P550837	VOLVO	11988962 / 11708554

APPLICATIONS

CLAAS Handlers **SCORPION** Series, **DEUTZ-FAHR** Tractors **AGROTRON** Series, **FENDT** Tractors **FARMER 400** Series, **FAVORIT 700, 800** Series, **VARIO 800 TMS** Series, **FUCHS** Loaders **MHL340**, **SAME** Tractors **IRON 150**, **TEREX** Excavators **MHL331**, **VOLVO** Excavators **EC100B, EC200B** Series



HF35489

Description: Hydraulic Filter, cartridge
Date in stock: January 2012
Main application: Volvo Trucks 20580233



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	149.5	mm	or	5.88	in
OD	60	mm	or	2.36	in
ID	18	mm	or	0.709	in

PACKAGING *in mm*

Quantity per box	6	Weight	0.18 kg	Vol	0.84 dm ³
Length	160	Width	75	Height	70

CROSS-REFERENCES

CROSLAND	7066	RENAULT TRUCKS	7420580233
FRAM	C10316	VOLVO TRUCKS	20580233
MANN & HUMMEL	H623	ZF	763160114534
MERCEDES	000 466 29 04		

APPLICATIONS

MERCEDES Trucks ACTROS I, ACTROS II, ACTROS III Series with Mercedes engines OM501LA, OM502LA, **RENAULT** Trucks KERAX Series with Renault engines DCI11, DXI11, DXI 13, MAGNUM AE Series with Renault engines DXI 12, DXI 13, MIDLUM II Series, with Renault engines DXI 5, DXI 7, PREMIUM Series with Renault engines DCI 11, DXI 11, **VOLVO** Trucks FH400, FH500, FM300, FM400, FM500, FMX300, FMX400 Series with Volvo engines D9, D11, D13



Obsolete Part Numbers

January 2012

Obsolete	Replaced by
AF1671	none
ST1053	HF6530
ST1055	HF6531



FF5802

Description: Fuel Filter, in-line

Date in stock: February 2012

Main application: Mercedes 646 092 05 01



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	119.5	mm	or	4.705	in
OD	86 / 90.5	mm	or	3.386 / 3.563	in

PACKAGING *in mm*

Quantity per box	10	Weight	0.37 kg	Vol	1.2 dm³
Length	100	Width	100	Height	120

CROSS-REFERENCES

BALDWIN	BF9846	HENGST	H140WK01
CHRYSLER	5174056AA	MAHLE	KL313
COOPERS	FSM4202	MANN & HUMMEL	WK820, WK820/1
CROSLAND	5091	MERCEDES	646 092 05 01
DONALDSON	P550808	MERCEDES	646 092 00 01
FIAAM	FP5660	MERCEDES	646 092 03 01
FRAM	P9635	PURFLUX	CS499
		TECNOCAR	RN232

APPLICATIONS

DODGE VAN SPRINTER Series, EVOBUS SPRINTER CITY, SPRINTER MOBILITY, SPRINTER TRANSFER Series, MERCEDES Light Trucks ML320, ML350, R320, R350 BlueTec, SPRINTER II, VIANO, VITO II Series

Fleetguard®



HF35499

Description: Hydraulic Filter, cartridge

Date in stock: February 2012

Main application: Volvo Construction 14532086



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	450	mm	or	17.717	in
OD	178	mm	or	7.008	in
ID	110	mm	or	4.331	in

PACKAGING *in mm*

Quantity per box	1	Weight	5.09	kg	Vol	21.85	dm ³
Length	220	Width	210	Height	473		

CROSS-REFERENCES

VOLVO **14532086**

APPLICATIONS

VOLVO Excavators EC290C with D7E engine, EC360C and EC460C with D12D engine (2007)

Fleetguard®



HF6528

Description: Hydraulic Filter, cartridge

Date in stock: February 2012

Main application: Komatsu 234-60-31330



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	440	mm	or	17.32	in
OD	112	mm	or	4.4	in
ID	70	mm	or	2.75	in

PACKAGING *in mm*

Quantity per box	1	Weight	1.49	kg	Vol	8.93	dm ³
Length	135	Width	135	Height	490		

CROSS-REFERENCES

KOMATSU **234-60-31330**

APPLICATIONS

KOMATSU Graders GD705A-3, GD705A-4, GD825A-2

Fleetguard®



Catalogue corrections

February 2012

OEM	Cross Reference	Incorrect P/N	Correct P/N
IKRON	HHC10191	HF7904	None
MANN & HUMMEL	P66X	FS1251	None
HENGST	E28HD175	HF35361	HF35358
MANN & HUMMEL	WK6125	FF139	None



HF6519

Description: Hydraulic Filter, cartridge

Date in stock: April 2012

Main application: Volvo Construction 14385476



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	434	mm	or	17.08	in
OD	147.5 / 152.5	mm	or	5.80 / 6	in
ID	110 / 112	mm	or	4.33 / 4.40	in

PACKAGING *in mm*

Quantity per box	1	Weight	3.44 kg	Vol	12.28 dm ³
Length	160	Width	160	Height	480

CROSS-REFERENCES

VOLVO CONSTRUCTION 14385476

APPLICATIONS

VOLVO Excavators EW140C, EW160C, EW180C with Volvo engines D5E / D6E



Catalogue corrections

March 2012

OEM	Cross Reference	Incorrect P/N	Correct P/N
RENAULT TRUCKS	5000809504	AF27817	None
TAKEUCHI	1551102600	HF35456	None
CATERPILLAR	1949983	LF3817	None



Obsolete Part Numbers

March 2012

Obsolete	Replaced by
CV50607	CV50633
CV50617	CV50634
CV50629	CV50631
LF16228	LF17487

Fleetguard®



FF5775

Description: Fuel Filter, strainer

Date in stock: April 2012

Main application: MAN 51.12503-0043



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	41	mm	or	1.61	in
OD,END 2	47	mm	or	1.85	in
OD,LE,END	50	mm	or	1.96	in

PACKAGING

in mm

Quantity per box	20	Weight	0.015 kg	Vol	1 dm³
Length	100	Width	100	Height	100

CROSS-REFERENCES

MAN 51.12503-0043
HENGST E11S03D132
HENGST E11S04D132
CLAAS 7983190

MANN & HUMMEL PU50X
MANN & HUMMEL PU51X
BALDWIN PF7974
MERCEDES-BENZ A0000901351

APPLICATIONS

CLAAS Harvester MEDION 310/320/330/340 with MERCEDES-BENZ OM906LA engine, CLAAS Combine MEGA 350/360/370 with MERCEDES-BENZ OM906LA engine, CLAAS Combine TUCANO 320/330/340/430/440/450 with MERCEDES-BENZ OM906LA engine, MAN Bus FRH414/RH14HC14 Lion's Coach/Lion4s Star/Lion's Supreme/Lion's Topcoach with MAN D2866/D2876 engine, MAN Trucks TGA series, MERCEDES-BENZ Trucks ATEGO & ATEGO II, MERCEDES-BENZ Trucks AXOR II with MERCEDES-BENZ OM906LA, MERCEDES-BENZ Trucks ECONIC with MERCEDES-BENZ OM906LA, NEOPLAN Bus Cityliner/Skyliner/Starliner II with MAN D2876 LOH engine

NEOPLAN Bus Tourliner/Trendliner with D2866 LUH engine, OPTARE Bus Solo with MERCEDES-BENZ OM904LA engine, OPTARE Bus TEMPO X1060/X1130/X1200/X1260 WITH Mercedes_benz om906LA engine, OPTARE Bus Versa V1040/V1110 with MERCEDES-BENZ OM904LA engine, MAN Bus FRH414/RH414/RHC414 Lion's Coach/Lion's Star/Lion's Supreme/Lion's Topcoach with MAN D2866/D2876 engine, MAN Bus FRH464/RH464/RHC464 Lion's Coach/Lion's Supreme/Topcoach with MAN D2866/D2876 engine.

Fleetguard[®]



HF6529

Description: Hydraulic Filter, spin-on

Date in stock: March 2012

Main application: Volvo Construction 14532688



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	174	mm	or	6.85	in
OD	133.5 / 112	mm	or	5.25 / 4.40	in
ID	48	mm	or	1.88	in

PACKAGING *in mm*

Quantity per box	6	Weight	1.42	kg	Vol	3.04	dm ³
Length	130	Width	130	Height	180		

CROSS-REFERENCES

DONALDSON	P502493
VOLVO	14532688

APPLICATIONS

VOLVO Excavators EC290C with D7E engine, EC360C and EC460C with D12D engine (2007)

Fleetguard[®]



Obsolete Part Numbers

April 2012

OBSOLETE PART NUMBERS

Obsolete	Replaced by
FH23419	None



AF27878

Description: Air, Primary RS
Date in stock: May 2012
Main application: DAF 1679397

NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	389	mm	or	15.31	in
OD	247/247	mm	or	9.72/9.72	in
ID	165	mm	or	6.49	in

PACKAGING *in mm*

Quantity per box	1	Weight	1.99 kg	Vol	35.67 dm³
Length	299	Widt	299	Height	399

CROSS-REFERENCES

DAF 1679397
HENGST E765L

APPLICATIONS

DAF Trucks LF45 & LF55 (2006-) equipped with FR & GR Series engines



Obsolete Part Numbers

May 2012

OBSOLETE PART NUMBERS

Obsolete	Replaced by
94209A	None
FF5294	None
LF3784	LF4054



For more information,
visit cumminsfiltration.com

MB10183
© 2012 Cummins Filtration inc.

Fleetguard®



AF27943

Description: Cabin Air Filter, Air Conditioning system

Date in stock: June 2012

Main application: MERCEDES-BENZ A 001 835 34 47



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	455	mm	or	17.91	in
Width	228	mm	or	8.97	in
Height	19	mm	or	0.74	in

PACKAGING *in mm*

Quantity per box	12	Weight	0.69	kg	Vol	29.93 dm ³
Length	479	Width	250	Height	250	

CROSS-REFERENCES

MERCEDES-BENZ A0018353447
MANN&HUMMEL CU4811(10)
WEBASTO 94839A
JURA FILTRATION SC50046

AIRMATIC IF0550

APPLICATIONS

EVOBUS CITARO O 530 Busses equipped with MERCEDES-BENZ OM906LA/HLA engines.
EVOBUS CITARO O 530 Busses equipped with MERCEDES-BENZ OM457HLA (Euro 3/4/5) engines.

EVOBUS CITARO O 530 Busses equipped with MERCEDES-BENZ OM926LA/HLA (Euro 5) engines.

EVOBUS CITARO I F Busses equipped with MERCEDES-BENZ OM457HLA engine (from 2005)



AF27944K

Description: Air, Primary

Date in stock: June 2012

Main application: New Holland 87313626



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height 321	mm	or	12.63	in
Cover diameter	212.5	mm	or	8.36	in
Fin diameter	199.5	mm	or	7.85	in
End 2 ID	90.5	mm	or	3.56	in
Thread Size 7/16-20 UNF-2B				

PACKAGING *in mm*

Quantity per box	1	Weight	1.49 kg	Vol	21.48 dm ³
Length	235	Width	235	Height	389

CROSS-REFERENCES

NEW HOLLAND 87313626
 NEW HOLLAND 87339011
 NEW HOLLAND 87339014
 DONALDSON P788982

APPLICATIONS

NEW HOLLAND Tractors JX1085C/JX1095C/JX1095N/JX1095V (2006-)

Fleetguard®



AF27952

Description: Air, Primary

Date in stock: June 2012

Main application: New Holland 84443964



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	710	mm	or	27.95	in
OD	310	mm	or	12.20	in
ID	179.5	mm	or	7.06	in

PACKAGING *in mm*

Quantity per box	1	Weight	5.29 kg	Vol	80 dm ³
Length	329	Width	329	Height	740

CROSS-REFERENCES

NEW HOLLAND 84443964
DONALDSON P786106

APPLICATIONS

NEW HOLLAND Combines CR920/CR940/CR960/CR970/CR980 with engines 6/10.3L & 6/7.8L

Fleetguard®



HF6685

Description: Hydraulic, Cartridge

Date in stock: June 2012

Main application: MANITOU 289920



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	194.5	mm	or	7.657	in
OD	83	mm	or	3.267	in
ID	43	mm	or	1.692	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.699	kg	Vol	2.25 dm³
Length	100	Width	100	Height	225	

CROSS-REFERENCES

MANITOU 745717
MANITOU 289920
ARGO V2.0920-06
DEMAG 76114373
JURA FILTRATION SH52006

APPLICATIONS

DEMAG Crane AC265TT
DEMAG Crane AC50-1
MANITOU Liftrtruck MT1436R
MANITOU Liftrtruck MT1840R



HF6686

Description: Hydraulic, Cartridge

Date in stock: June 2012

Main application: NEW HOLLAND 72285860



ELEMENT DIMENSIONS

Height	109.5	mm	or	4.31	in
OD	83	mm	or	3.26	in
ID	42	mm	or	1.65	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.459	kg	Vol	1.25 dm³
Length	100	Width	100	Height	125	

CROSS-REFERENCES

NEW HOLLAND 72285860
 NEW HOLLAND 87337762
 NEW HOLLAND 72285430
 NEW HOLLAND 72285429
 NEW HOLLAND 72150036
 JURA FILTRATION SH60161

KOBELCO FZJ3180K003A
 KOBELCO PW50V00012R200
 KOBELCO PW52V01001R200
 KOBELCO YR52V01003P1
 KOBELCO YR52V01003P2
 FIAT KOBELCO 72284848

APPLICATIONS

NEW HOLLAND Excavators E20.2SR / E22.2SR / E27.2SR / E30.2SR / E50.2SR / E70B SR / E70SR / E80 / E80B MSR
 CASE Excavator CX50B

Fleetguard®



LF17497

Description: Lube, Spin-On

Date in stock: June 2012

Main application: IVECO 2995811



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	75	mm	or	2.952	in
OD	97.5	mm	or	3.838	in
Thread	M22X1.5-6H	mm	or		in

PACKAGING *in mm*

Quantity per box	12	Weight	6.9	kg	Vol	9.568 dm³
Length	299	Width	200		Height	160

CROSS-REFERENCES

COOPERS Z1715
CROSLAND 2316
COOPERSFIAAM FT5843
FIAT 8094872
FRAM PH10268
HENGST H12W08

IVECO 2995811 / 504091563
JURA FILTRATION SO8031
MAHLE OC616/ OC570
MANN&HUMMEL W914/28
PURFLUX LS386
TECNOCAR R285
UFI 2348900

APPLICATIONS

FIAT DUCATO 2002 2.3 JTD / FIAT DUCATO 2007 2.3 JTD and 3.0 Natural Power
IVECO DAILY IV 29-14 Turbo HPT (2.3 HPT) / 35-14 Turbo HPT (2.3 HPT) / 40-14 Turbo HPT (2.3 HPT)
equipped with F1A engine (from engine N°240404)
IVECO DAILY V 29L10 (2.3 HPI) / 29L11 (2.3 Multijet II) / 29L12 (2.3 HPI) / 29L13 (2.3 Multijet II) / 29L14 (2.3 HPT) / 29L15 (2.3 Multijet II) / 35C10 (2.3 HPI) / 35C11 (2.3 HPI) / 35C12 (2.3 HPI) / 35C13 (2.3 HPT) / 35C14 CNG (3.0 CNG) / 35C/S 14 CNG (3.0 CNG EEV) / 35S10 (2.3 HPI) / 35S11 (2.3 HPI) / 35S12 (2.3 HPI) / 35S13 (2.3 HPT) / 35S14 (2.3 HPT) / 35S15 (2.3 Multijet II) / 40C10 (2.3 HPI) / 40C11 (2.3 HPI) / 40C12 (2.3 HPI) / 40C13 (2.3 HPT) / 40C14 CNG (3.0 CNG EEV) / 50C14 CNG (3.0 CNG) / 50C14 CNG (3.0 CNG EEV) / 65C14 CNG (3.0 CNG) / 70C14 CNG (3.0 CNG EEV).



Catalogue corrections

June 2012

OEM	Cross Reference	Incorrect P/N	Correct P/N
ATLAS COPCO	2914997400	FS19532	None
PARKER	FC5000Q010BS	ST1000	None



Obsolete Part Numbers

June 2012

OBSOLETE PART NUMBERS

Obsolete	Replaced by
FH21052	FH21077
FH21052	FH21076



For more information,
visit cumminsfiltration.com

MB10187
© 2012 Cummins Filtration inc.



AF27918

Description: Air, Primary RS
Date in stock: July 2012
Main application: IVECO 8041419



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	496	mm	or	19.527	in
OD	240	mm	or	9.448	in
ID	120	mm	or	4.724	in

PACKAGING *in mm*

Quantity per box	1	Weight	2.5 kg	Vol	37.98 dm³
Length	269	Width	269	Height	525

CROSS-REFERENCES

IVECO 8041419
DENNIS 6171211
BALDWIN RS5391
JURA FILTRATION SA16577

APPLICATIONS

IVECO engine C87TE1D
DENNIS EAGLE Truck ELITE 2 240/260/290/300/320/340 (2006-) equipped with VOLDO D7E/D7F engines.

Fleetguard®



AF27942

Description: Air, Primary RS

Date in stock: July 2012

Main application: PERKINS 26510380



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	344	mm	or	13.54	in
OD	165	mm	or	6.49	in
ID	88	mm	or	3.46	in

PACKAGING *in mm*

Quantity per box	1	Weight	1.49	kg	Vol	11.95	dm ³
Length	180	Width	180		Height	369	

CROSS-REFERENCES

PERKINS 26510380
COOPERSFIAAM AEM2772
CATERPILLAR 2335182
JURA FILTRATION SA16486
FGWILSON 915671

APPLICATIONS

CATERPILLAR Industrial engine 3054C / 3054E

TUCKERBILT Construction Equipment T630 equipped with CATERPILLAR 3054C, equipped with PERKINS 1104C

Fleetguard®



AF27945

Description: Cabin Air Filter, Active Carbon

Date in stock: July 2012

Main application: FENDT H816810140100



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	407	mm	or	16.023	in
Width	119	mm	or	4.685	in
Height	48	mm	or	1.889	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.37	kg	Vol	3.31 dm³
Length	409	Width	180		Height	45

CROSS-REFERENCES

FENDT H816810140100
FENDT H816810140101
FENDT H816810140080
MANN&HUMMEL CUK4130/1
JURA FILTRATION SC50022CAG

APPLICATIONS

FENDT Tractors FAVORIT 712/714/716/718 - Serie III - (2006-) equipped with DEUTZ engine TCD2012L6 4V.
FENDT Tractors VARIO 309/310/311/312 (2006-) equipped with DEUTZ engine TCD2012L 4V.
FENDT Tractors VARIO 411/412/413/414/415 (2006-).



Catalogue corrections

July 2012

OEM	Cross Reference	Incorrect P/N	Correct P/N
DYNAPAC	4700394686	AF25492	None
NEW HOLLAND	87636412	AF26211	None



Obsolete Part Numbers

July 2012

OBSOLETE PART NUMBERS

Obsolete	Replaced by
FS19867	FS19856
3826332S	None



For more information,
visit cumminsfiltration.com

MB10190
© 2012 Cummins Filtration inc.

Fleetguard®



FF251

Description: Fuel Filter, Cartridge

Date in stock: August 2012

Main application: KUBOTA

RA21151280



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	81	mm	or	3.188	in
OD	50	mm	or	1.968	in
ID	20 / 18	mm	or	0.787 / 0.708	in

PACKAGING *in mm*

Quantity per box	12	Weight	0.99	kg	Vol	3.519	dm ³
Length	170	Width	115		Height	180	

CROSS-REFERENCES

KUBOTA RA21151280

KUBOTA RA21151281

KUBOTA 1A00143160

YANMAR 10590G55710

BALDWIN PF7832

JURA FILTRATION SN20007

APPLICATIONS

KUBOTA Excavators KX101-3, KX121-3, KX1213R3, KX1213R4(A), KX1213S3, KX1213S4(A), KX161-3, KX413, KX61-2, KX61-3, KX71-3S, KX91-3, U15, U20-3, U25-3, U35, U35-3, U45-3.

KUBOTA Tractors L3540, L3540HST, L3940, L4240, L4240HST, L4240HSTC, L4740, L5040, L5240, L5740, L5740HST, L5740HSTC.

KUBOTA Loaders M59, R420, R520.



FF5806

Description: Fuel, Spin-On

Replaces the FF166 for Yanmar & Hyundai references

Date in stock: August 2012

Main application: YANMAR 123907-55801



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	160	mm	or	6.299	in
OD	92.5	mm	or	3.641	in
Dome OD	90	mm	or	3.543	in
Thread	M20x1.5-6H				

PACKAGING *in mm*

Quantity per box	12	Weight	0.416	kg	Vol	18.06 dm³
Length	289	Width	190		Height	329

CROSS-REFERENCES

YANMAR 123907-55801
HYUNDAI XJAU00219

APPLICATIONS

Hyundai Excavators R55-7 & R55W-7 (2006-)
Yanmar Engine 4TNV98T



FS1079

Description: Fuel Water Separator

Date in stock: August 2012

Main application: FORD 4437885



ELEMENT DIMENSIONS

Length	196	mm	or	7.71	in
OD	84 / 69	mm	or	3.30 / 2.71	in
ID	17	mm	or	0.669	in

PACKAGING *in mm*

Quantity per box	12	Weight	5.519	kg	Vol	21.164	dm ³
Length	275	Width	185		Height	416	

CROSS-REFERENCES

FORD 4437885
FORD 2C119176BA
FORD 2C119176BB
MANN&HUMMEL WK8104
MOTORCRAFT EFG333

STANADYNE 35899

APPLICATIONS

FORD Light Trucks Transit 2000 (-2004) 2.0 L DI Turbodiesel TDE/TDCI, 2.4 L DI Turbodiesel TDE/TDDI, 2.4 L TDCI Turbodiesel with Ford Duratorq engine.

Fleetguard®



HF35493

Description: Hydraulic, Transmission

Date in stock: August 2012

Main application: VOITH 59335510



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	159	mm	or	6.259	in
OD	83	mm	or	3.267	in
ID	21 / 36.5	mm	or	0.826 / 1.437	in

PACKAGING *in mm*

Quantity per box	12	Weight	4.99	kg	Vol	22.44	dm ³
Length	415	Width	309		Height	175	

CROSS-REFERENCES

VOITH 59335510
VOITH 91330110
VOITH 91330111
JURA FILTRATION SH62128
MAN 81339016045

MERCEDES-BENZ A0002702398
NEOPLAN 6750454660
RENAULT TRUCKS 5001855259

APPLICATIONS

EVOBUS Busses O 530 CITARO (1998-) equipped with MERCEDES-BENZ OM906LA/hLA and OM457LA/hLA.



Obsolete Part Numbers

August 2012

OBSOLETE PART NUMBERS

Obsolete	Replaced by
252274S	None
AF26350	None
FK48003	None
LF17474	None
LF3915	None
MK13454	None



For more information,
visit cumminsfiltration.com

MF10204



AF27827

Description: Primary Air Filter

Replaces the AF26247

Date in stock: September 2012

Main application: CATERPILLAR 2277448



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	172	mm	or	6.771	in
OD, End 1	230.5	mm	or	9.074	in
OD, End 2	163.5	mm	or	6.437	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.69 kg	Vol	6.44 dm ³
Length	230	Width	160	Height	175

CROSS-REFERENCES

CATERPILLAR 2277448
MANN&HUMMEL CP23210 & C23220
VALMET 37352500

APPLICATIONS

CATERPILLAR Backhoe Loaders 414E, 416E, 420E, 422E, 428D, 430D, 430E, 432D, 434E, 442D, 442E, 444E.

CATERPILLAR Paving Equipment AP800D

CATERPILLAR Compactors CB434D, CB564D, CP323D, CP533E & CS323D.

CATERPILLAR Dozers D3K, D4K, D5K.

VALTRA Tractors N82H & N92H.



AF55729

Description: Cabin Air Filter, Active Carbon

Date in stock: September 2012

Main application: MERCEDES-BENZ A9018300418



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	369	mm	or	14.52	in
Width	163	mm	or	6.417	in
Height	28	mm	or	1.102	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.349 kg	Vol	2.55 dm ³
Length	405	Width	180	Height	35

CROSS-REFERENCES

MERCEDES-BENZ A9018300418
HENGST E912LC
COOPERSFIAAM ACE182
BALDWIN PA4409
MAHLE LAK83

JURA FILTRATION SC50007CA
CROSLAND EC527
MANN&HUMMEL CUK3858

APPLICATIONS

MERCEDES-BENZ Light Trucks SPRINTER I (1995-) 208 CDI / 208 D / 210 D / 211 CDI / 212 D / 213 CDI / 214 / 216 CDI / 308 CDI / 308 D / 308 E / 310 D / 311 CDI / 312 D / 313 CDI / 314 / 316 CDI / 408 CDI / 408 D / 410 D / 411 CDI / 412 D / 413 CDI / 414 / 416 CDI & SPRINTER 616 CDI (2001-2006).

Fleetguard®



FF254

Description: Fuel Filter, Spin-On
Long life version of FF5507
Date in stock: September 2012
Main application: VOLVO 20972293



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	258	mm	or	10.15	in
Largest OD	110	mm	or	4.33	in
Thread	M32x1.5-6H				

PACKAGING *in mm*

Quantity per box	12	Weight	13.99 kg	Vol	42.46 dm ³
Length	449	Width	339	Height	279

CROSS-REFERENCES

VOLVO 20972293 / 21145173 / 15126069
RENAULT TRUCKS 7420875666 / 7420972291
MANN&HUMMEL WDK11102/11
MANN&HUMMEL WDK11102/13
HINO 5221145173
MACK 20875672 / 20972295

HENGST H200WDK01
BALDWIN BF7943
DONALDSON R010062

APPLICATIONS

RENAULT TRUCKS KERAX DXI 370/380/410/430/440/450/460/480/500/520 equipped with DXI 11/13 engines euro 4/5.
RENAULT TRUCKS MAGNUM AE 440/460/480/500/520 equipped with DXI 12/13 engines euro 4/5.
RENAULT TRUCKS PREMIUM DISTRIBUTION & LANDER Series equipped with DXI 11 engines euro 4/5.
VOLVO BUS 7000/8000/9000 Series & VOLVO BUS B13/B9.



Obsolete Part Numbers

September 2012

OBSOLETE PART NUMBERS

Obsolete	Replaced by
SP1015	None



For more information,
visit cumminsfiltration.com

MB10210
© 2012 Cummins Filtration inc.



AF27899

Description: Cabin Air Filter, Foam Type

Date in stock: October 2012

Main application: NEW HOLLAND 87726694



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	522	mm	or	20.55	in
Width	78	mm	or	3.070	in
Height	10	mm	or	0.393	in

PACKAGING *in mm*

Quantity per box	42	Weight	1.079	kg	Vol	28.87 dm ³
Length	559	Width	140		Height	369

CROSS-REFERENCES

NEW HOLLAND 87726694 & 82024373
DONALDSON P951377
MANN&HUMMEL CU53001
JURA FILTRATION SC90219

APPLICATIONS

CASE-IH Tractors (2007-) Maxxum MX115, MX125, MX130 & MX140
CASE-STEYR Tractors (2007-) CVT6140, CVT6150, CVT6160, CVT6175 & CVT6195
CASE-STEYR Tractors (2007-) PROFI 4110, 4120, 4130, 6115 & 6140
CASE-STEYR Tractors (2007-) 9080MT, 9090MT & 9100MT
NEW HOLLAND Tractors (2007-) T6000 & T7000 Series

Fleetguard®



FS1081

Description: Fuel Water Separator

Date in stock: October 2012

Main application: Case 336430A1



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	76	mm	or	2.992	in
Width	76	mm	or	2.992	in
Height	54	mm	or	2.125	in

PACKAGING *in mm*

Quantity per box	6	Weight	1.09 kg	Vol	3.389 dm³
Length	269	Width	180	Height	70

CROSS-REFERENCES

BALDWIN BF7881
CASE 336430A1
JURA FILTRATION SN40015
LIEBHERR 7382153
MASSEY FERGUSON 3907943M1
NEW HOLLAND 87780450
SEPAR 00530/50

APPLICATIONS

LIEBHERR Excavators A904, A914 & A924, R904, R914 & R924
LIEBHERR Crawler Dozers L538, L544, L564, L574, L580, PR712, PR712B, PR721C, PR722, PR722B, PR724, PR732, PR732B, PR734, PR742, PR742B, PR752 & PR754
LIEBHERR Loaders LR622 & LR622B, LR632.
MASSEY FERGUSON Combine MF7260 BETA & MF 7270 BETA
MASSEY FERGUSON Tractors MF6485, MF6490, MF6495, MF6497, MF6499, MF7485, MF7490, MF7495, MF8450, MF8460, MF8470, MF8480, MF8650, MF8660, MF8670, MF8680, MF8690 equipped with 66CTA-4V, 74CTA-4V, 84CTA & 84CTA-4T, 66CTA-4V.
NEW HOLLAND Tractors T6000, T7000 & T8000 Series

Fleetguard®



FS1082

Description: Fuel Water Separator

Date in stock: October 2012

Main application: SEPAR 00530/50H



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	76	mm	or	2.992	in
Width	76	mm	or	2.992	in
Height	54	mm	or	2.125	in

PACKAGING *in mm*

Quantity per box	6	Weight	1.09 kg	Vol	3.389 dm³
Length	269	Width	180	Height	70

CROSS-REFERENCES

HENGST E0530K02
JURA FILTRATION SN40018V
LIEBHERR 7623375
MAN 81125010004, 85125010003 & 85125010005
MANN&HUMMEL PU88
SEPAR 00530/50H
VOLVO 11715301

APPLICATIONS

MAN Trucks LE (2000-2007) Series, L2000, ME (2000-2007), M2000 (1994-)
MAN Trucks TGL & TGM (2005-)

Fleetguard®



FS1083

Description: Fuel Water Separator

Date in stock: October 2012

Main application: MAN 81.12503-0085



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	89	mm	or	3.503	in
Width	88	mm	or	3.464	in
Height	55.5	mm	or	2.185	in

PACKAGING *in mm*

Quantity per box	6	Weight	1.19 kg	Vol	3.389 dm³
Length	269	Width	180	Height	70

CROSS-REFERENCES

LIEBHERR 553183708
JURA FILTRATION SN40084
MAN 81.12503-0085
MANN&HUMMEL PU910
RENAULT TRUCKS 5001864856
SEPAR 01030H

APPLICATIONS

ERF Trucks ECM & ECT Series
LIEBHERR Excavators R964C
MAN Trucks FE (2000-), F2000 (94-), TGA (2000-), TGS (2007-) & TGX (2007-)
RENAULT TRUCKS Kerax 270/320/370/420 DCI, Magnum AE400/AE440/AE480 E-TECH,
Premium Distribution DCI Models & Premium Lander DCI Models.



FS1084

Description: Fuel Water Separator

Date in stock: October 2012

Main application: RACOR R45S



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	87.5	mm	or	3.444	in
Dome OD	107.5	mm	or	4.232	in
Seam OD	110.5	mm	or	4.350	in
Thread	1-14 UNS-2B				

PACKAGING *in mm*

Quantity per box	12	Weight	2.99 kg	Vol	18.74 dm³
Length	355	Width	240	Height	220

CROSS-REFERENCES

RACOR R45S
JURA FILTRATION SN904502

APPLICATIONS

Miscellaneous Marine Applications



Catalogue corrections

October 2012

OEM	Cross Reference	Incorrect P/N	Correct P/N
Ingersoll-Rand	54468178	FS19996	None
Hitachi	4696643	LF9008	LF16045
Purflux	LS801	LF3335	None
Manitou	77402	HF6326	None



Obsolete Part Numbers

October 2012

OBSOLETE PART NUMBERS

Obsolete	Replaced by
CV50631	None



For more information,
visit cumminsfiltration.com

MB10215
© 2012 Cummins Filtration inc.



FF5820

Description: Fuel Tank Breather Filter

Date in stock: November 2012

Main application: VOLVO 21064484



ELEMENT DIMENSIONS

Height	157	mm	or	6.181	in
OD	48	mm	or	1.889	in
Inlet Connection	6.5	mm	or	0.25	in
Outlet Connection	8	mm	or	0.31	in

PACKAGING *in mm*

Quantity per box	100	Weight	4.49 kg	Vol	0.001 dm³
Length	10	Width	10	Height	10

CROSS-REFERENCES

VOLVO 21064484
RENAULT TRUCKS 7421064484
MANN&HUMMEL C52/1
JURA FILTRATION SA17430

APPLICATIONS

RENAULT Trucks PREMIUM DISTRIBUTION HD240DXI / HD270DXI / HD310DXI / HD340DXI / HD370DXI / HD380DXI / HD410DXI / HD430DXI / HD450DXI / HD460DXI / HR330DXI / HR370DXI / HR380DXI / HR410DXI / HR430DXI / HR440DXI / HR450DXI / HR460DXI equipped with DXI engines.

RENAULT Trucks PREMIUM LANDER HL270DXI / HL310DXI / HL340DXI / HL380DXI / HL430DXI / HL440DXI / HL460DXI equipped with DXI engines.

VOLVO Trucks FE II (2006-) equipped with D7E/F engines.

VOLVO Trucks FH400 / FH420 / FH440 / FH460 / FH480 / FH500 / FH520 / FH540 equipped with D13A/B/C engines.

VOLVO Trucks FL240 / FL260 / FL280 / FL290 equipped with D7E/F engines.



Catalogue corrections

November 2012

OEM	Cross Reference	Incorrect P/N	Correct P/N
New Holland	84078520	AF26426	none
Scania	1769798	3955168S	none



Obsolete Part Numbers

November 2012

OBSOLETE PART NUMBERS

Obsolete	Replaced by
FF63004	FF63008
FS19918	FS19966
LF577	none



For more information,
visit cumminsfiltration.com

MB10218
© 2012 Cummins Filtration inc.

Fleetguard®



AF27949

Description: Cabin Air Filter

Date in stock: December 2012

Main application: MERCEDES-BENZ A0008301265



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	473	mm	or	18.62	in
Width	230	mm	or	9.05	in
Height	25	mm	or	0.984	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.10	kg	Vol	3.448 dm³
Length	479	Width	240	Height	30	

CROSS-REFERENCES

AIRMATIC IF0546M
JURA FILTRATION SC50106
MANN&HUMMEL CU4783
MERCEDES-BENZ A0008301265
WEBASTO 1101899A

APPLICATIONS

EVOBUS/MERCEDES-BENZ Busses CITARO O 530 equipped with MERCEDES-BENZ OM906LA/hLA and OM457LA/hLA Euro3/4/5.

Fleetguard®



AF27950

Description: Air Filter, Panel

Date in stock: December 2012

Main application: NISSAN 16546-00QAT



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	285	mm	or	11.22	in
Width	249	mm	or	9.803	in
Height	69	mm	or	2.716	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.49	kg	Vol	7.302 dm ³
Length	349	Width	279	Height	75	

CROSS-REFERENCES

JURA FILTRATION SA4061
MAHLE LX1656
MANN&HUMMEL C29168
NISSAN 16546-00QAT / 16546-00QAD
OPEL 4405238 / 4416481
PURFLUX A1190

RENAULT 8200259359 / 8200505566
VAUXHALL 9121071

APPLICATIONS

NISSAN Trucks INTERSTAR (2002-2011) 2.2DCI90 / 2.5DCI100 / 2.5DCI120 / 2.5DCI150
OPEL Light Duty Trucks MOVANO (1998-2010) 2.2DTI / 2.5CDTI / 2.5CDTI100 / 2.5CDTI120 / 2.5CDTI150 / 2.5DTI
RENAULT Light Duty Trucks MASTER III (2003-2010) 2.2DCI90 / 2.5DCI100 / 2.5DCI120 / 2.5DCI150



AF27961

Description: Cabin Air Filter, Recirculation

Date in stock: December 2012

Main application: JOHN DEERE H220870



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Length	320	mm	or	12.59	in
Width	130	mm	or	5.118	in
Height	48	mm	or	1.889	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.20	kg	Vol	3.08 dm³
Length	339	Width	140		Height	65

CROSS-REFERENCES

DELPHI 52412524
JOHN DEERE H220870
JURA FILTRATION SC90190

APPLICATIONS

JOHN DEERE Combines 9560STS / 9570STS / 9660STS / 9670STS / 9760STS / 9770STS / 9860STS / 9870STS / T670



HF35500

Description: Hydraulic, cartridge

Date in stock: December 2012

Main application: LIEBHERR 7364108



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	134	mm	or	5.275	in
OD	70	mm	or	2.755	in
ID	26	mm	or	1.023	in

PACKAGING *in mm*

Quantity per box	1	Weight	0.49	kg	Vol	1.056 dm³
Length	80	Width	80		Height	165

CROSS-REFERENCES

LIEBHERR 7364108
ARGO V3.0713-08

APPLICATIONS

LIEBHERR Excavators A/R954B, R964B, R974B, R982, R984B/C & R991

Fleetguard®



HF35510

Description: Hydraulic, cartridge

Date in stock: December 2012

Main application: VOLVO 14539482



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	430	mm	or	16.929	in
OD	150	mm	or	5.905	in
ID	110	mm	or	4.330	in

PACKAGING *in mm*

Quantity per box	1	Weight	2.99	kg	Vol	12.16 dm³
Length	160	Width	160		Height	475

CROSS-REFERENCES

VOLVO 14539482
JURA FILTRATION SH60254
DONALDSON P502494

APPLICATIONS

VOLVO Excavators EC140C, EC160C, EC180C, EC210C, EC235C, ECR145 & ECR235C L equipped with D4E & D6E engines.

Fleetguard®



HF35513

Description: Hydraulic, cartridge

Date in stock: December 2012

Main application: VOLVO 14532085



NEW PRODUCT RELEASE

ELEMENT DIMENSIONS

Height	450	mm	or	17.71	in
OD	150	mm	or	5.905	in
ID	110	mm	or	4.330	in

PACKAGING *in mm*

Quantity per box	1	Weight	3.49	kg	Vol	12.28 dm³
Length	160	Width	160		Height	480

CROSS-REFERENCES

VOLVO 14532085
JURA FILTRATION SH60335

APPLICATIONS

VOLVO Excavators EC240C, EC240C L, EC240C LR, EC240C NL, EC290C, EC700C, EC700C L equipped with VOLVO D7E/D16E engines.



Catalogue corrections

December 2012

OEM	Cross Reference	Incorrect P/N	Correct P/N
MAN	81125010031	FS19605	FS1083
HENGST	E1030K01	FS19605	FS1083



Obsolete Part Numbers

December 2012

OBSOLETE PART NUMBERS

Obsolete	Replaced by
LF4007	None

Valley Filters,
Ross Road Industrial Estate,
Carrickmacross,
Co. Monaghan.
Ireland.
www.valleyfilters.com
Ph: (+353) 042-966-2365



For more information,
visit cumminsfiltration.com

MB10223
© 2013 Cummins Filtration inc.